FORTH PORTS LIMITED Bunkering Procedures River Forth and Tay

During all Bunkering operations all vessels must provide a minimum of 30m clearance when passing a bunkering operation. Consideration may be given to a reduced clearance with the Harbour Masters Approval.

1. <u>General</u>

These procedures apply to any vessel bunkering operations taking place at ports, terminals, harbours and estuarial waters within the limits of Forth Ports and the Port of Dundee's jurisdiction.

Bunkering is taken to mean the transfer of liquid hydrocarbons, intended for the main propulsion and/or operation of the auxiliary equipment of a vessel and/or for lubricating of the vessel's engine or other machinery or the discharge of bilge residues and other types of oily waste exceeding 1,000 litres.

These procedures **do not** apply to vessels less than 50gt or vessels which normally navigate solely within the port; provided they have appropriate procedures in place to prevent spillage, to clean up any spillage which may occur and ensure any spillages are reported.

These procedures **do not** apply for the transfer of liquid hydrocarbon between two vessels where the product being transferred is deemed as cargo. Such transfers require an oil transfer licence as per the Merchant Shipping (Ship to Ship Transfer) Regulations 2010/1228 as amended by the Merchant Shipping (Ship to Ship Transfer) Regulations 2012/742.

Master of mother-vessel has overall responsibility and accountability for the safe conduct of operations while a ship is receiving bunkers.

Before the bunkering operation commences, the Responsible Officers must:

- Read and understand the bunkering procedures and precautions carefully.
- Send the completed Vessel Bunkering Checklist (Appendix A) to FTNS for approval and confirmation minimum 24 hours prior to bunkering commencing.
 Note: When bunkering from another vessel, Appendix A must be completed and approved for both vessels individually.
- On completion of bunkering the relevant details contained in the Checklist (Appendix B) should be forwarded to FTNS.
 Note: When bunkering from another vessel, Appendix B must be completed and submitted for both vessels individually.

FORTH PORTS LIMITED	Document ID FPS PMSC OP 17_07	Authorised By CHM	Original Date December 2012
Bunkering Procedure	Date Revised	Revised By	Review Due
-	April 2021	AMM	April 2024

2. Notification

The Master/ Manager of a vessel of more than 50gt (other than one which normally navigates solely within the Port) intending to receive bunkers or discharge oily waste, whether alongside on a tidal berth or enclosed in a dock system or lying at anchor in Rivers Forth or Tay shall give notification in writing to and seek permission from the relevant Harbour Master, through Forth and Tay Navigation Service (FTNS) not less than 24 hours in advance of the intention to bunker. In exceptional circumstances less than 24 hours' notice will be accepted at the Harbour Masters discretion.

Note – Permission to bunker will not be given until all the criteria in the checklist is approved by FTNS and confirmation sent in writing.

The Master of the vessel receiving the bunkers must advise the relevant person as detailed in Section 9 at the time of commencement of bunkering and on completion of the bunkering operation.

Vessels berthed at the INEOS Jetties within Grangemouth docks requiring to take bunkers are required to comply with these procedures but are exempt from needing to complete Appendix A and B.

3. <u>Precautions for ALL Bunkering Operations</u>

Bunkers should not begin until all parties are assured that the following precautions have been taken;

- a) Scuppers are firmly closed
- b) Vessel is securely moored and moorings tended
- c) Any special instructions issued by Forth Ports Ltd have been complied with
- d) Bunker pipes which are not in use are effectively blanked
- e) Bunker hoses have sufficient play and are adequately supported
- f) Bunker hose connections have been provided with a good seal *
- g) There is a well-tightened bolt in every hole in the bunker hose connection flange *
- h) There is a sufficiently large overflow container under the bunker hose connection(s)
- i) Cargo handling or other operations in progress will not hazard the bunker operation, or vice versa.
- j) There is an agreed communication system established between the vessel receiving the bunkers and the bunkering barge/ tanker/ road tanker/ terminal.
- k) There is an agreed communication system established between the visual watch personnel on deck and the engineering staff responsible for loading the bunkers.
- I) A nominated Officer(s) should be in charge throughout the bunkering operation.

FORTH PORTS LIMITED	Document ID	Authorised By	Original Date
	FPS PMSC OP 17_07	CHM	December 2012
Bunkering Procedure	Date Revised	Revised By	Review Due
	April 2021	AMM	April 2024

m) It is essential that a visual watch be maintained on the side of the vessel away from the point of supply.

* Where a pistol grip delivery system is used, conditions f) & g) will be considered to have been met if a properly maintained nozzle is used, which conforms to BS71 17 or equivalent.

4. Additional Precautions for Bunkering Out With Enclosed Docks

In addition to the precautions stipulated in paragraph 3 the following conditions apply;

- a) Operations are restricted to daylight (until civil twilight) hours
- b) Wind strength to be less than 20 knots sustained
- c) Visibility to be in excess of 0.5 nautical miles
- d) Standby pollution response vessel with appropriate oil spill response equipment
- e) Bunkering location requires prior approval from the Harbour Master

5. Additional Precautions for Bunkering from Another Vessel (ALL Locations)

In addition to the precautions stipulated in paragraphs 3 & 4 if bunkers are being taken from another vessel the follow additional conditions apply;

- a) Appropriate fenders are required
- b) A vessel mooring/unmooring procedure and appropriate risk assessment, including requirement for tugs to be agreed by the Harbour Master
- c) Bunker barge/vessel chartered using Intertanko's Standard Tanker Chartering Questionnaire (not required for offshore support vessel)
- d) In certain circumstances a tug may be required to stand-by during bunkering operations.
- e) In certain circumstances a Pilot may be required on board for mooring /unmooring of vessel, or to stand-by at anchor throughout the operation.

6. Additional Precautions for Intermediate and Heavy Fuel Oil (All Locations)

In addition to the precautions stipulated in paragraph 3, 4 & 5 the follow conditions apply;

a) Appropriate oil containment booms available at the location of sufficient length to enclose the bunkering operation. Pre-prepared plan for rigging and securing of booms.

FORTH PORTS LIMITED	Document ID FPS PMSC OP 17_07	Authorised By CHM	Original Date December 2012
Bunkering Procedure	Date Revised	Revised By	Review Due
_	April 2021	AMM	April 2024

7. <u>Suspension of Operations</u>

If the requirements laid down in these procedures cannot be fulfilled during the operation, bunkering operations are to be suspended immediately and FTNS advised accordingly, together with the reasons for such action.

Bunkering operations can only resume once all criteria of this notice have been met, confirmation that criteria has been met is provided to FTNS and permission is given by FTNS to resume.

8. Oil Spills

At any time during operations the Master must report any spillage (even if no oil has entered the water) to the Harbour Master through the Forth and Tay Navigation Service immediately.

The Master of any vessel involved in bunkering operations must provide a written report to the relevant Harbourmaster/ Forth and Tay Navigation Service at the earliest opportunity, as required by Statute. Failure to do so may result in the vessel's sailing being delayed.

Information to report must include:

- a. The nature and type of the liquid released
- b. The quantity of the liquid released
- c. Quantity of liquid in to the water, and on land,
- d. Name and contact details of persons involved

Any costs involved in any subsequent oil clean-up will be to that of the vessel receiving the bunkers.

FORTH PORTS LIMITED	Document ID	Authorised By	Original Date
	FPS PMSC OP 17_07	CHM	December 2012
Bunkering Procedure	Date Revised	Revised By	Review Due
	April 2021	AMM	April 2024
	7.0	,	7.0

9. Contact Details

Forth & Tay Navigation Service (FTNS)

Phone – 01324 498584

Fax - 01324 668480

E-Mail – ftns@forthports.co.uk

Within the Ports below communications on commencement and completion of bunkers should be with;

Grangemouth -	Grangemouth Locks Phone – 01324 498584 VHF – 14
Leith -	Leith Harbour Phone - 01324 498584 VHF – 12
Dundee -	Dundee Harbour Phone - 01324 498584 VHF – 12
All Other Ports -	Forth & Tay Navigation Phone – 01324 498584

VHF – 71

FORTH PORTS LIMITED	Document ID FPS PMSC OP 17_07	Authorised By CHM	Original Date December 2012
Bunkering Procedure	Date Revised	Revised By	Review Due
	April 2021	AMM	April 2024

FORTH PORTS LIMITED Vessel Bunkering Checklist

(Appendix A)

Note – Permission to bunker will not be given until all criteria are approved by FTNS. Bunkering cannot take place during cargo operations without the express permission of the Port Ops. Manager/ Jetty Supervisor. This is the **Master's responsibility to obtain.** Please send completed form to <u>FTNS@forthports.co.uk</u>

Bunker source: Road Tanker / Other Vessel (Delete as appropriate)

A. INFORMATION REQU	REMENTS (ALL BLANKS MUST	BE FILLED)	REMARKS (FP use Only)
Vessel name:			
Port / anchorage:			
Berth / anchorage designatio	n:		
Name and rank of person cor	npleting checklist:		
Email:			
Contact number:			
Name / rank of responsible o	fficer:		
B. ADDITIONAL REQUIRE			Approval (YES/NO)
Bunker supplier (and Vessel na	•••		
Type of bunker oil / oily wast			
Quantity of bunker oil / oily	waste:		
Est. date & time of start:			
Est. date & time of completion			
Standby pollution response v			
C. DOCUMENTS TO BE A	TTACHED	Tick if Attached	Approval (YES/NO)
Vessel mooring/unmooring p	orocedure		
Risk assessment for operatio			
Intertanko standard tanker (only)	chartering questionnaire (tanl	(er	
Pre-prepared plan for rig (Intermediate and Heavy Fue	ging and securing of boon I oil only)	ns.	
D. DECLARATION			
understood and will be fully c	r that "Bunkering Procedure I omplied with at all times. We h the instructions and have satist the best of our knowledge.	ave checked, the	items of the
Master Name:	Signature:	Date:	

REMARKS – These to i	nclude reasons for "Not A	opproved". (FP use Onl	y)	
Checklist vetted by:Designation:Date & Time:CC: HM / Leith CC / Dundee PMO				
FORTH PORTS LIMITED Document ID FPS PMSC OP 17_07 Authorised By CHM Original Date December 2012 Bunkering Procedure Date Revised Revised By Review Due				
Ū	April 2021	AMM	April 2024	

FORTH PORTS LIMITED VESSEL BUNKERING CHECKLIST

(Appendix B)

Confirmation of Operation Details.			
(To be supplied to FTNS by the Master as soon as they become available, by whatever			
means is convenient). Email: FTNS@forthports.co.uk Phone: 013	24 498584		
Vessel name:			
Actual date & time of start:			
Actual date & time of completion:			
Actual type & quantity loaded (or slops discharged):			
Confirmation that all procedures have been followed:			
Confirmation that no spillage has occurred:			
Name of person supplying above Info:			
Designation of above person:			
Date & time that balance of information was supplied:			
REMARKS:			

REMARKS – These to include reasons for "Not Approved". (FP use Only)	
Checklist vetted by:	Designation:
Date & Time:	CC: HM / Leith CC / Dundee PMO

FORTH PORTS LIMITED	Document ID FPS PMSC OP 17_07	Authorised By CHM	Original Date December 2012
Bunkering Procedure	Date Revised	Revised By	Review Due
_	April 2021	AMM	April 2024